

**Tobacco Institute Testing Laboratory
Market Sample 30**

Sorted CO Test Results

Brand	CO mg/cig	"Tar" mg/cig	"Nicotine" mg/cig
Carlton KFHP	< 0.5	< 0.5	< 0.05
Now KFHP	< 0.5	< 0.5	< 0.05
Carlton 100's 100FMHP	0.9±0.1	0.7±0.1	0.10±0.01
Carlton 100's 100FHP	1.1±0.1	0.8±0.1	0.11±0.01
Carlton KFMSP	1.3±0.1	0.6±0.1	0.09±0.01
Carlton KFSP	2.0±0.1	1.1±0.1	0.13±0.01
Now KFSP	2.0±0.1	1.0±0.1	0.13±0.01
Now KFMSP	2.2±0.1	1.1±0.1	0.13±0.01
Now 100s 100FSP	3.4±0.2	2.1±0.1	0.23±0.01
Kool Ultra KFMSP	3.7±0.4	3.0±0.3	0.28±0.03
Triumph KFSP	4.3±0.2	3.6±0.1	0.37±0.02
Triumph KFMSP	4.3±0.3	3.5±0.2	0.37±0.02
Carlton 100's 100FSP	4.4±0.2	3.3±0.1	0.33±0.01
Kent III KFSP	4.4±0.3	3.7±0.2	0.39±0.02
Now 100s 100FMSP	4.5±0.2	2.7±0.1	0.27±0.01
Carlton 120's 120FSP	5.0±0.2	5.9±0.2	0.57±0.01
Carlton 120's 120FMSP	5.1±0.2	6.1±0.2	0.60±0.02
Tareyton Lights KFSP	5.7±0.3	5.1±0.2	0.42±0.02
Merit Ultra Lights KFMSP	5.8±0.2	4.7±0.1	0.41±0.01
True KFMSP	5.8±0.3	4.7±0.3	0.46±0.03
True KFSP	5.8±0.2	4.8±0.2	0.47±0.02
Capri 100FMHP	5.9±0.2	8.8±0.2	0.71±0.01
Kool Ultra 100's 100FMSP	6.1±0.3	5.5±0.1	0.49±0.01
Capri 100FHP	6.2±0.2	8.8±0.2	0.76±0.02
L & M Long Lights 100FSP	6.2±0.2	7.6±0.2	0.79±0.02
Benson & Hedges Deluxe Ultra Lights 100's 100FMHP	6.2±0.4	5.4±0.2	0.49±0.02
Carlton 100's 100FMSP	6.3±0.3	4.4±0.2	0.42±0.01
Kent III 100s 100FHP	6.3±0.3	4.9±0.2	0.48±0.02
Triumph 100s 100FSP	6.7±0.2	5.1±0.2	0.50±0.01
Merit Ultra Lights KFSP	6.7±0.3	5.2±0.2	0.46±0.02
Virginia Slims Ultra Lights 100FHP	6.8±0.2	5.9±0.1	0.49±0.01
Kent III 100s 100FSP	7.1±0.4	5.3±0.3	0.52±0.02
Benson & Hedges Deluxe Ultra Lights 100's 100FHP	7.1±0.4	5.8±0.3	0.49±0.02
Virginia Slims Ultra Lights 100FMHP	7.3±0.2	6.3±0.1	0.52±0.01
Merit Ultra Lights 100's 100FMSP	7.4±0.2	5.4±0.1	0.49±0.01
True 100's 100FSP	7.4±0.4	7.1±0.3	0.67±0.03
Salem Ultra Lights 100's 100FMSP	7.4±0.2	4.7±0.1	0.43±0.02
Merit Ultra Lights 100's 100FSP	7.5±0.2	5.6±0.1	0.50±0.01
True 100's 100FMSP	7.5±0.4	7.2±0.4	0.68±0.03
Triumph 100s 100FMSP	7.5±0.4	5.7±0.2	0.55±0.02
Vantage Ultra Lights KFSP	7.7±0.4	5.3±0.2	0.44±0.01
Salem Ultra Lights KFMSP	7.7±0.2	5.1±0.1	0.42±0.01
Winston Ultra Lights KFSP	7.8±0.2	5.1±0.1	0.43±0.01
Winston Ultra Lights 100's 100FSP	8.6±0.2	5.1±0.1	0.45±0.01
Kent Golden Lights KFMSP	8.8±0.4	8.0±0.2	0.73±0.02
Virginia Slims Lights 100FMHP	9.2±0.2	8.6±0.2	0.68±0.02
Kool Lights KFMSP	9.2±0.3	8.5±0.3	0.70±0.02

Revised 6/88

PM3000879774

**Tobacco Institute Testing Laboratory
Market Sample 30**

Sorted CO Test Results

Brand	CO mg/cig	"Tar" mg/cig	"Nicotine" mg/cig
Tareyton Long Lights 100FSP	9.2±0.3	8.6±0.2	0.71±0.02
Belair 100's 100FMSP	9.2±0.4	8.6±0.3	0.66±0.02
Vantage Ultra Lights 100s 100FSP	9.2±0.3	5.6±0.1	0.47±0.02
Kent Golden Lights KFSP	9.4±0.5	8.7±0.3	0.79±0.02
Virginia Slims Lights 100FHP	9.5±0.3	8.8±0.2	0.68±0.02
Parliament Lights KFHP	9.7±0.2	9.1±0.2	0.68±0.01
Merit KFMSP	9.7±0.2	7.8±0.2	0.59±0.01
Kent Golden Lights 100s 100FMSP	9.8±0.4	9.2±0.3	0.86±0.02
More Lights 100s 100FHP	9.8±0.3	9.5±0.3	0.74±0.02
More Lights 100s 100FMHP	9.8±0.4	8.9±0.2	0.66±0.01
Kool Lights 100's 100FMSP	9.8±0.5	8.7±0.5	0.73±0.03
Belair KFMSP	9.8±0.2	10.4±0.2	0.82±0.02
Salem Slim Lights 100's 100FMHP	9.8±0.2	9.1±0.2	0.72±0.02
Lucky Strike Lights KFSP	9.9±0.3	8.1±0.2	0.65±0.01
Newport Lights 100's 100FMSP	9.9±0.3	9.4±0.2	0.87±0.02
Newport Lights KFMSP	9.9±0.3	9.0±0.2	0.82±0.02
Kim 25's 100FMHP	9.9±0.2	9.3±0.2	0.78±0.02
Malibu Light's 100's 100FSP	10.0±0.3	8.7±0.2	0.75±0.02
Merit KFSP	10.0±0.3	8.2±0.2	0.62±0.01
Merit KFHP	10.1±0.3	8.2±0.2	0.63±0.01
Newport Lights KFMHP	10.1±0.3	9.2±0.2	0.84±0.02
Silva Thins 100FSP	10.2±0.3	11.6±0.2	0.94±0.02
Lucky Strike Lights 100's 100FSP	10.3±0.3	9.2±0.2	0.75±0.02
Parliament Lights KFSP	10.4±0.4	9.3±0.3	0.70±0.02
Silva Thins Menthol 100FMSP	10.4±0.3	12.1±0.2	1.01±0.02
Kent Golden Lights KFHP	10.5±0.4	9.6±0.3	0.84±0.02
Falcon Lights 100's 100FMSP	10.5±0.3	8.5±0.2	0.68±0.02
Kent Golden Lights 100s 100FHP	10.6±0.5	9.9±0.3	0.91±0.02
L & M 30's Lights 100's 100FSP	10.7±0.3	12.8±0.2	1.08±0.02
Bright 100s 100FMSP	10.7±0.2	6.7±0.1	0.49±0.02
Eve Lights 120's 120FHP	10.7±0.4	12.3±0.3	1.07±0.03
Eve Lights 120's 120FMHP	10.8±0.4	12.5±0.4	1.11±0.03
Newport Lights 100's 100FMHP	10.8±0.4	10.2±0.3	0.97±0.03
Dunhill International Superior Mild 100FHP	10.8±0.3	9.3±0.2	0.79±0.01
Eve Slim Lights 100's 100FMHP	10.9±0.3	12.8±0.3	1.03±0.02
Falcon Lights KFSP	10.9±0.2	11.1±0.2	0.77±0.02
Players Lights 25's KFMSP	11.0±0.3	10.1±0.3	0.72±0.02
Kool Milds KFMHP	11.1±0.3	11.5±0.3	0.86±0.02
Silva Thins Filters 100FHP	11.1±0.2	10.3±0.2	0.87±0.02
Eve Slim Lights 100's 100FHP	11.1±0.2	12.8±0.2	1.04±0.02
Winston Lights 100's 100FHP	11.1±0.3	9.6±0.2	0.67±0.01
Kent Golden Lights 100s 100FSP	11.2±0.4	10.3±0.4	0.94±0.03
Old Gold Lights KFSP	11.2±0.3	9.7±0.2	0.87±0.02
Players Lights 25's KFSP	11.2±0.3	10.2±0.2	0.72±0.01
Silva Thins Menthol 100FMHP	11.4±0.3	11.3±0.2	0.97±0.02
Salem Lights 100's 100FMSP	11.4±0.3	9.3±0.2	0.73±0.02
Benson & Hedges KFHP	11.5±0.3	15.1±0.4	1.18±0.02

Revised 6/88

**Tobacco Institute Testing Laboratory
Market Sample 30**

Sorted CO Test Results

Brand	CO mg/cig	"Tar" mg/cig	"Nicotine" mg/cig
Kim 25's 100FHP	11.6±0.4	10.9±0.3	0.87±0.01
Merit 100's 100FMSP	11.6±0.2	10.0±0.2	0.76±0.02
Benson & Hedges Multiplier KFSP	11.6±0.3	12.1±0.2	0.87±0.02
Salem Lights 100's 100FMHP	11.7±0.2	10.8±0.2	0.82±0.02
Camel Lights KFHP	11.7±0.2	9.6±0.2	0.61±0.01
Doral Ultra Lights 100's 100FSP	11.7±0.4	6.8±0.2	0.46±0.02
Marlboro Lights 100's 100FMSP	11.7±0.2	10.0±0.2	0.78±0.02
Ritz 100 100FMHP	11.7±0.2	11.5±0.2	0.80±0.02
Malibu Menthol 100's 100FMSP	11.7±0.4	11.5±0.2	0.94±0.02
Merit 100's 100FSP	11.8±0.3	9.9±0.2	0.78±0.02
Marlboro Lights KFHP	11.9±0.2	10.7±0.2	0.77±0.01
Winston Lights KFHP	11.9±0.3	10.0±0.2	0.63±0.01
Century 25's Lights (25) KFSP	11.9±0.2	9.7±0.2	0.68±0.01
Pall Mall Light 100's 100FSP	12.0±0.4	10.4±0.2	0.83±0.02
Pall Mall Unfiltered Lights KNFSP	12.0±1.0	16.2±0.9	1.10±0.04
Players KFHP	12.1±0.4	11.6±0.2	0.81±0.01
Marlboro Lights KFMSP	12.1±0.3	11.0±0.2	0.79±0.02
Marlboro Lights KFSP	12.1±0.4	11.2±0.2	0.80±0.01
Falcon Lights KFMSP	12.1±0.4	10.5±0.3	0.78±0.02
Marlboro Lights 25's KFSP	12.2±0.3	11.3±0.2	0.79±0.02
Kool Milds 100's 100FMSP	12.2±0.2	11.5±0.2	0.92±0.02
Benson & Hedges Lights 100's 100FMSP	12.2±0.3	10.6±0.2	0.78±0.02
Players KFMHP	12.2±0.2	11.9±0.2	0.81±0.01
Lark KFSP	12.2±0.3	13.3±0.1	1.05±0.02
Vantage 100s 100FSP	12.3±0.2	8.8±0.1	0.62±0.01
Lucky Strike Menthol 100's 100FMSP	12.3±0.3	11.6±0.3	0.92±0.02
Lucky Strike KFSP	12.4±0.4	11.7±0.2	0.87±0.02
Camel Lights KFSP	12.5±0.3	8.9±0.2	0.61±0.01
Salem Lights KFMSP	12.5±0.3	9.7±0.3	0.70±0.02
Lucky Strike Filters 100's 100FSP	12.5±0.3	12.0±0.2	0.96±0.02
Vantage Menthol 100s 100FMSP	12.5±0.3	8.4±0.1	0.61±0.02
Cambridge Lights KFMSP	12.5±0.3	11.9±0.3	0.81±0.03
Cambridge Lights KFSP	12.5±0.3	12.2±0.2	0.84±0.02
Richland Lights (25) KFSP	12.5±0.2	10.8±0.2	0.79±0.02
Kool Milds KFMSP	12.6±0.3	11.9±0.3	0.92±0.02
Lucky Strike KFHP	12.6±0.3	11.7±0.2	0.88±0.02
Satin 100FSP	12.7±0.3	11.0±0.3	0.97±0.02
Craven "A" RFHP	12.8±0.3	16.0±0.4	1.11±0.03
Kent KFHP	12.8±0.4	11.5±0.3	0.87±0.02
Benson & Hedges Lights 100's 100FSP	12.8±0.3	10.5±0.2	0.81±0.02
Lark Lights KFSP	12.8±0.4	13.1±0.2	1.01±0.02
Vantage KFMSP	12.8±0.4	10.3±0.3	0.69±0.02
Players 100's 100FHP	12.8±0.3	14.0±0.2	0.98±0.01
Pall Mall Red KFSP	12.9±0.3	13.8±0.3	1.02±0.02
Marlboro Lights 100's 100FHP	12.9±0.4	10.9±0.2	0.82±0.01
Pall Mall Light 100's Low Tar 100FMSP	12.9±0.3	13.3±0.2	1.06±0.02
Malibu 100's 100FSP	12.9±0.5	12.0±0.5	0.96±0.04

Revised 6/88

**Tobacco Institute Testing Laboratory
Market Sample 30**

Sorted CO Test Results

Brand	CO mg/cig	"Tar" mg/cig	"Nicotine" mg/cig
L & M KFSP.....	12.9±0.2	13.4±0.2	1.04±0.02
Players 100's 100FMHP.....	13.0±0.4	14.4±0.3	1.00±0.02
Winston Lights 100's 100FSP.....	13.0±0.3	11.2±0.2	0.79±0.01
Ritz 100 100FHIP.....	13.0±0.2	11.7±0.2	0.83±0.02
Parliament Lights 100's 100FSP.....	13.1±0.4	12.4±0.2	0.95±0.02
Chesterfield RNFSP.....	13.2±0.3	20.5±0.5	1.30±0.03
Marlboro Lights 100's 100FSP.....	13.2±0.3	11.2±0.2	0.83±0.02
Satin 100FMSP.....	13.2±0.4	11.3±0.3	1.00±0.02
Magna Lites KFSP.....	13.2±0.2	9.0±0.1	0.62±0.01
Philip Morris RNFSP.....	13.3±0.3	22.7±0.4	1.34±0.02
Raleigh Lights 100's 100FSP.....	13.3±0.4	11.2±0.3	0.86±0.02
L & M KFHP.....	13.3±0.3	13.9±0.3	1.09±0.02
Eli Cutter Lights KFSP.....	13.4±0.3	12.1±0.3	0.93±0.02
Viceroy Lights KFSP.....	13.4±0.4	11.5±0.3	0.86±0.02
Players 25's Lights 100's 100FMSP.....	13.4±0.2	11.4±0.2	0.82±0.01
Kent KFSP.....	13.4±0.4	12.3±0.4	0.93±0.03
Virginia Slims 100FMSP.....	13.5±0.4	15.4±0.3	1.07±0.02
Raleigh Lights KFSP.....	13.5±0.3	11.6±0.2	0.86±0.01
Winston Lights KFSP.....	13.5±0.4	10.9±0.2	0.75±0.01
Century 25's Menthol Lights 100's.....	13.6±0.3	11.9±0.3	0.84±0.02
Vantage KFSP.....	13.6±0.4	10.6±0.3	0.72±0.02
Century 25's Lights 100's 100FSP.....	13.7±0.4	11.8±0.2	0.85±0.01
Doral Menthol Lights 100's 100FMSP.....	13.7±0.3	12.1±0.2	0.72±0.02
Doral 100's Filter Lights 100FSP.....	13.7±0.3	12.0±0.2	0.72±0.02
Kent 100s 100FSP.....	13.8±0.3	13.4±0.2	1.04±0.02
Players 25's Lights 100's 100FSP.....	13.8±0.3	11.8±0.2	0.85±0.01
L & M Super 100 100FSP.....	13.9±0.3	13.8±0.2	1.09±0.03
Viceroy Lights 100's 100FSP.....	14.0±0.4	11.8±0.2	0.91±0.02
Cambridge Lights 100's 100FMSP.....	14.0±0.3	11.8±0.2	0.86±0.01
Pall Mall Red 100FSP.....	14.0±0.3	13.6±0.3	1.04±0.02
Virginia Slims 100FSP.....	14.1±0.2	15.4±0.2	1.06±0.01
Doral Menthol Filter Lights KFMSF.....	14.1±0.3	11.7±0.2	0.62±0.02
Lark Light 100's 100FSP.....	14.1±0.4	13.8±0.3	1.09±0.02
Kool RNFMSF.....	14.3±0.4	21.5±0.8	1.34±0.05
Cambridge Lights 100's 100FSP.....	14.4±0.2	11.9±0.2	0.87±0.02
Kent 100s 100FMSP.....	14.4±0.3	13.6±0.3	1.00±0.03
Richland Lights (25) 100's 100FSP.....	14.4±0.4	12.4±0.2	0.92±0.02
Camel RNFSP.....	14.4±0.3	21.9±0.5	1.36±0.03
Lark 100FSP.....	14.5±0.4	14.8±0.3	1.20±0.03
Raleigh KFSP.....	14.5±0.3	15.0±0.4	0.96±0.02
Camel Lights 100's 100FSP.....	14.5±0.3	11.2±0.3	0.78±0.01
Saratoga 120's 120FHP.....	14.5±0.4	14.4±0.3	1.04±0.02
Hi-Lite 100FHIP.....	14.5±0.4	13.8±0.2	1.01±0.02
Virginia Slims Lights 120's 120FMHP.....	14.6±0.3	14.3±0.2	1.03±0.02
Viceroy KFSP.....	14.7±0.3	15.1±0.3	0.96±0.02
Virginia Slims Lights 120's 120FHP.....	14.7±0.5	14.3±0.3	1.02±0.03
St. Moritz Filter 100s 100FSP.....	14.8±0.3	14.8±0.3	1.10±0.02

Revised 6/88

**Tobacco Institute Testing Laboratory
Market Sample 30**

Sorted CO Test Results

Brand	CO mg/cig	"Tar" mg/cig	"Nicotine" mg/cig
Saratoga 120's 120FMHP.....	14.9±0.3	14.9±0.3	1.06±0.02
Magna KFSP.....	14.9±0.3	14.2±0.3	0.93±0.02
Marlboro KFHP.....	14.9±0.4	16.3±0.3	1.08±0.02
Doral Filter Lights KFSP.....	15.0±0.4	12.3±0.3	0.66±0.02
Viceroy Super Long 100's 100FSP.....	15.1±0.4	15.8±0.4	1.14±0.02
Benson & Hedges 100's 100FMHP.....	15.1±0.4	16.3±0.3	1.13±0.02
Falcon Lights 100's 100FSP.....	15.2±0.4	12.6±0.2	0.87±0.02
Tareyton KFSP.....	15.3±0.3	13.8±0.3	0.95±0.02
Camel Filters KFSP.....	15.3±0.3	15.4±0.2	1.00±0.02
English Ovals KNFHP.....	15.3±0.4	24.2±0.6	1.84±0.05
Eli Cutter KFSP.....	15.4±0.2	16.1±0.2	1.10±0.03
Philip Morris International 100FMHP.....	15.5±0.4	16.8±0.3	1.13±0.02
St. Moritz Menthol Filter 100MSP.....	15.5±0.3	15.1±0.2	1.04±0.02
Philip Morris Blues 100FMSP.....	15.6±0.4	15.5±0.2	1.15±0.02
Rothmans Special Mild KFHP.....	15.6±0.3	13.8±0.2	1.01±0.02
Alpine KFMSF.....	15.7±0.4	17.0±0.4	1.08±0.02
Chesterfield KNFSP.....	15.7±0.3	24.7±0.5	1.69±0.04
Craven "A" KFHP.....	15.7±0.3	15.5±0.3	1.13±0.02
Marlboro KFMSF.....	15.7±0.3	17.1±0.3	1.10±0.02
Richland (25) KFSP.....	15.7±0.3	16.6±0.3	1.16±0.03
Kool KFMSF.....	15.8±0.3	15.6±0.3	1.09±0.02
Magna KFHP.....	15.9±0.5	14.1±0.4	0.89±0.02
Cambridge Full Flavor 100's 100FSP.....	15.9±0.4	17.2±0.3	1.15±0.02
Winston KFSP.....	15.9±0.2	16.8±0.3	1.09±0.02
Players RNFHP.....	16.0±0.3	25.2±0.5	1.66±0.04
Marlboro 100 Red 100FSP.....	16.0±0.3	16.7±0.3	1.18±0.02
Philip Morris Blues KFMSF.....	16.0±0.3	16.9±0.3	1.18±0.02
Richland (25) KFMSF.....	16.1±0.3	16.4±0.3	1.09±0.02
Pall Mall KNFSP.....	16.1±0.3	23.7±0.4	1.54±0.02
Marlboro 25's KFSP.....	16.1±0.4	17.3±0.3	1.10±0.01
Benson & Hedges 100's 100FMSP.....	16.1±0.4	16.4±0.2	1.16±0.02
Pall Mall 25's KNFSP.....	16.2±0.4	23.6±0.5	1.54±0.03
Raleigh 100's 100FSP.....	16.2±0.3	15.3±0.3	0.99±0.02
Tareyton 100's 100FSP.....	16.2±0.4	13.5±0.3	0.97±0.02
Camel Filters KFHP.....	16.3±0.3	16.5±0.2	1.03±0.01
Philip Morris Commander KNFSP.....	16.3±0.4	27.2±0.5	1.65±0.03
Kool Super Longs 100's 100FMSP.....	16.3±0.3	16.2±0.2	1.23±0.03
Winston KFHP.....	16.4±0.3	16.4±0.2	1.03±0.01
Marlboro KFSP.....	16.4±0.3	17.3±0.3	1.13±0.02
Cambridge Full Flavor KFSP.....	16.5±0.3	17.3±0.3	1.10±0.02
Benson & Hedges 100's 100FHP.....	16.5±0.4	17.1±0.3	1.16±0.02
Marlboro 100's 100FSP.....	16.5±0.2	16.9±0.3	1.17±0.02
Kool KFMSF.....	16.5±0.4	16.9±0.4	1.18±0.03
Marlboro 100's 100FHP.....	16.6±0.4	16.7±0.2	1.17±0.02
Richland (25) 100's 100FMSP.....	16.6±0.3	16.2±0.2	1.18±0.03
Doral Full Flavor 100's 100FSP.....	16.6±0.3	14.2±0.2	0.81±0.02
Old Gold Lights 100s 100FSP.....	16.7±0.3	13.0±0.2	1.02±0.02

Revised 6/88

**Tobacco Institute Testing Laboratory
Market Sample 30**

Sorted CO Test Results

Brand	CO mg/cig	"Tar" mg/cig	"Nicotine" mg/cig^m
Max 120s 120FSP	16.7±0.5	17.7±0.3	1.45±0.03
Max 120s 120FMSP	16.8±0.5	18.2±0.4	1.51±0.02
Pall Mall 100's 100FSP	16.8±0.5	16.7±0.4	1.24±0.02
Philip Morris International 100FHP	16.8±0.3	17.8±0.3	1.20±0.02
Newport KFMHP	16.9±0.4	16.6±0.3	1.28±0.02
Raleigh KNFSP	17.0±0.4	24.0±0.4	1.38±0.03
Newport (25) KFMSP	17.0±0.4	16.8±0.3	1.29±0.03
Century 25's (25) KFSP	17.0±0.4	14.8±0.3	0.95±0.02
Marlboro 100 Red 100FHP	17.0±0.3	16.8±0.2	1.19±0.02
Lucky Strike RNFSP	17.0±0.4	24.3±0.4	1.50±0.02
Dunhill Menthol 100FMHP	17.1±0.3	14.5±0.2	1.23±0.02
Richland (25) 100's 100FSP	17.2±0.4	17.7±0.3	1.31±0.02
Dunhill International 100FHP	17.3±0.4	14.8±0.2	1.38±0.03
Benson & Hedges 100's 100FSP	17.3±0.5	17.3±0.3	1.21±0.02
Winston 100's 100FSP	17.5±0.3	17.2±0.3	1.07±0.02
Tall 120s 120FMSP	17.6±0.6	17.8±0.4	1.54±0.03
Newport KFMSP	17.7±0.3	17.3±0.2	1.33±0.02
Herbert Tareyton KNFSP	17.8±0.3	25.0±0.5	1.57±0.03
Salem 100's 100FMSP	17.9±0.4	16.6±0.2	1.13±0.02
Doral Full Flavor KFHP	18.1±0.5	15.2±0.3	0.80±0.02
Camel Filters 100FSP	18.1±0.5	17.4±0.4	1.07±0.03
Old Gold Filters KFSP	18.2±0.4	17.5±0.4	1.34±0.03
Fiesta KFSP	18.4±0.3	16.1±0.2	0.71±0.01
Salem KFMSP	18.4±0.4	15.7±0.3	0.97±0.02
Spring 100's 100FMSP	18.5±0.3	19.4±0.2	1.56±0.02
Old Gold Straights KNFSP	18.8±0.3	26.9±0.4	1.91±0.03
Newport 100's 100FMSP	18.9±0.4	19.4±0.3	1.53±0.03
Newport 100's (25) 100FMSP	19.0±0.4	19.6±0.3	1.55±0.03
Newport 100's 100FMHP	19.0±0.3	19.3±0.3	1.53±0.03
More Lights 120s 120FSP	19.1±0.4	12.0±0.3	0.89±0.02
More Lights 120s 120FMSP	19.2±0.5	11.8±0.2	0.91±0.02
Old Gold Filter 100's 100FSP	19.5±0.4	19.7±0.3	1.52±0.03
Doral Full Flavor KFSP	19.5±0.4	17.8±0.2	0.91±0.01
Rothmans KFHP	20.4±0.3	18.6±0.3	1.27±0.03
Century 25's 100's 100FSP	20.7±0.5	17.0±0.4	1.10±0.03
Tall 120s 120FSP	20.7±0.6	19.9±0.4	1.64±0.04
More 120s 120FSP	21.1±0.5	16.6±0.3	1.15±0.02
More 120s 120FMSP	21.3±0.7	16.9±0.5	1.25±0.03

Revised 6/88